

# United States Patent and Trademark Office

cen

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/567,780	02/09/2006	Hiroyuki Akita	Q92662	3049
23373 SUGHRUE MI	7590 06/06/200 ON, PLLC	EXAMINER		
2100 PENNSYLVANIA AVENUE, N.W. SUITE 800 WASHINGTON, DC 20037			NGUYEN, HANH N	
			ART UNIT	PAPER NUMBER
	,		2834	
•			MAIL DATE	DELIVERY MODE
			06/06/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

,		Application No.	Applicant(s)		
		10/567,780	AKITA ET AL.		
	Office Action Summary	Examiner	Art Unit .		
		Nguyen N. Hanh	2834		
Period fo	The MAILING DATE of this communication apport Reply	pears on the cover sheet wi	th the correspondence address		
WHIC - Exte after - If NC - Failt Any earn	HORTENED STATUTORY PERIOD FOR REPLICATION OF THE MAILING DEPOSITION OF THE MAILING	ATE OF THIS COMMUNIC 36(a). In no event, however, may a re will apply and will expire SIX (6) MON a, cause the application to become AB	CATION.  eply be timely filed  ITHS from the mailing date of this communication.  BANDONED (35 U.S.C. § 133).		
Status 					
	Responsive to communication(s) filed on 28 M				
′=	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.				
3)[_]	Since this application is in condition for allowa	·	•		
	closed in accordance with the practice under E	=x paπe Quayle, 1935 C.D	. 11, 453 O.G. 213.		
Disposit	ion of Claims		•		
4)⊠	Claim(s) 12-22 is/are pending in the applicatio	<b>n.</b> ·			
	4a) Of the above claim(s) is/are withdraw	wn from consideration.			
5)	Claim(s) is/are allowed.				
	Claim(s) <u>12-22</u> is/are rejected.				
·	Claim(s) is/are objected to.				
8)∐	Claim(s) are subject to restriction and/o	r election requirement.	_		
Applicat	ion Papers				
9)□	The specification is objected to by the Examine	PC.			
	The drawing(s) filed on 09 February 2006 is/are	•	objected to by the Examiner.		
	Applicant may not request that any objection to the		•		
	Replacement drawing sheet(s) including the correct	tion is required if the drawing(	s) is objected to. See 37 CFR 1.121(d).		
11)	The oath or declaration is objected to by the Ex	caminer. Note the attached	Office Action or form PTO-152.		
Priority (	under 35 U.S.C. § 119		•		
	Acknowledgment is made of a claim for foreign All b) Some * c) None of:	priority under 35 U.S.C. §	119(a)-(d) or (f).		
	1. Certified copies of the priority document				
	2. Certified copies of the priority document	· · · · · · · · · · · · · · · · · · ·			
	3. Copies of the certified copies of the prior		received in this National Stage		
• .	application from the International Bureau	, ,,,			
	See the attached detailed Office action for a list	of the certified copies not i	received.		
Attachmen	• •				
_	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948)		ummary (PTO-413) s)/Mail Date		
3) 🔲 Infon	mation Disclosure Statement(s) (PTO/SB/08)	5) D Notice of In	formal Patent Application		
Pape	er No(s)/Mail Date	6) 🔲 Other:	<u>_</u> .		

### **DETAILED ACTION**

### Response to Arguments

1. Applicant's arguments with respect to claims 12-22 have been considered but are moot in view of the new ground(s) of rejection.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claim 12 is rejected under 35 U.S.C. 102(b) as being anticipated by Baldoni (EP 0 799 697).

Regarding claim 12, Baldoni disclose a dynamoelectric machine comprising: a case (21 in Fig. 1) having a suction aperture for sucking in air and a discharge aperture for discharging said air (Fig. 1); a rotor (25) including: a rotor coil (28) disposed so as to be fixed to a shaft inside said case, said rotor coil generating magnetic flux on passage of electric current; and a Lundell pole core (36, 37) disposed so as to cover said rotor coil, said pole core having a plurality of claw-shaped magnetic poles that are magnetized by said magnetic flux (Fig. 2); a stator including: a stator core (23) disposed so as to surround said rotor; and a stator coil (24) formed by winding a conducting wire into slots extending axially on said stator core; a fan (54, 58 in Fig. 3) rotating together with said rotor, said fan directing said air from said suction aperture into said case, blowing said air centrifugally, and discharging said air externally through said discharge

aperture (Fig. 1), said pole core being constituted by a first pole core (36) body and a second pole core body (37) in which said claw-shaped magnetic poles intermesh with each other alternately (Fig. 3), wherein: said fan has a blade (65, 66 in Fig. 3) including an interposed portion (60) extending axially from an end surface of said pole core between an adjacent pair of said claw-shaped magnetic poles (Figs. 1, 2 and 3).

3. Claim 12, 14-18, 21 and 22 are rejected under 35 U.S.C. 102(b) as being anticipated by Vasilescu et al (Pub. No. US. 2003/0030334).

Regarding claim 12, Vasilescu et al. disclose a dynamoelectric machine comprising: a case (36, 38 in Fig. 1) having a suction aperture for sucking in air and a discharge aperture (Fig. 1) for discharging said air; a rotor (16) including: a rotor coil (18) disposed so as to be fixed to a shaft inside said case, said rotor coil generating magnetic flux on passage of electric current; and a Lundell pole core (20, 22) disposed so as to cover said rotor coil, said pole core having a plurality of claw-shaped magnetic poles that are magnetized by said magnetic flux (Fig. 2); a stator including: a stator core (32) disposed so as to surround said rotor; and a stator coil (34) formed by winding a conducting wire into slots extending axially on said stator core; a fan (48 in Figs. 1 and 2) rotating together with said rotor, said fan directing said air from said suction aperture into said case, blowing said air centrifugally, and discharging said air externally through said discharge aperture (Fig. 1), said pole core being constituted by a first pole core (20) body and a second pole core body (22) in which said claw-shaped magnetic poles intermesh with each other alternately (Fig. 2), wherein: said fan has a blade (50 in Fig.

2) including an interposed portion extending axially from an end surface of said pole core between an adjacent pair of said claw-shaped magnetic poles (Figs. 2 and 3).

Regarding claim 14, Umeda et al. disclose a dynamoelectric machine wherein a coil end (34) is formed in said stator coil by folding said conducting wire over outside an end surface of said stator core (Fig. 1); and a space is formed in said coil end above said end surface by said conducting wire having straight portions projecting axially outward from said end surface (Fig. 2).

Regarding claim 15, Vasilescu et al. also disclose a dynamoelectric machine wherein: said interposed portion of said blade projects toward one of said claw-shaped magnetic poles in said adjacent pair of claw-shaped magnetic poles (Figs. 1 and 2).

Regarding claim 16, Vasilescu et al. also disclose another embodiment wherein said interposed portion of said blade is bent at a bent portion so as to have an angular shape when viewed radially (Fig. 5).

Regarding claim 17, Vasilescu et al. also disclose a dynamoelectric machine wherein said interposed portion of said blade (Fig. 5) is bent at a bent portion so as to have an angular shape when viewed radially; and said bent portion is disposed radially opposite said space (Fig. 1).

Regarding claim 18, Vasilescu et al. also disclose a dynamoelectric machine wherein: said fan is formed by bending a flat plate (the method of forming the device is not germane to the issue of patentability of the device itself. Therefore, this limitation has not been given patentable weight).

Regarding claim 21, Vasilescu et al. also disclose a dynamoelectric machine wherein: blades of said fan are disposed at a nonuniform pitch circumferentially; and a blade disposed between an adjacent pair of said claw-shaped magnetic poles has said interposed portion (Fig. 2).

Regarding claim 22, Vasilescu et al. disclose a dynamoelectric machine wherein said fan is fixed only to an end surface of said pole core near a rectifier for converting alternating current generated in said stator into direct current.

### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

4. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Vasilescu et al. in view of Umeda et al.

Regarding claim 13, Vasilescu et al. show all limitations of the claimed invention except showing the dynamoelectric machine wherein: said stator coil is wound into a distributed winding in which said conducting wire is disposed in a orderly manner inside said slots at intervals of a predetermined number of slots.

However, Umeda et al. disclose the dynamoelectric machine wherein: said stator coil (33 in Fig. 2) is wound into a distributed winding in which said conducting wire is disposed in a orderly manner inside said slots at intervals of a predetermined number of slots for the purpose of preventing heat problem of the alternator (Col. 1, lines 64-67).

Since Vasilescu et al. and Umeda et al. are in the same field of endeavor, the purpose disclosed by Umeda et al. would have been recognized in the pertinent art of Vasilescu et al.

It would have been obvious at the time the invention was made to a person having an ordinary skill in the art to modify Vasilescu et al. by winding the coil into a distributed winding in which said conducting wire is disposed in a orderly manner inside said slots at intervals of a predetermined number of slots as taught by Umeda et al. for the purpose of preventing heat problem of the alternator.

5. Claims 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Vasilescu et al. in view of Hayashi et al.

Regarding claim 19, Vasilescu et al. show the dynamoelectric machine wherein a distance between said interposed portion and said adjacent pair of claw-shaped magnetic poles is greater than a distance between an inner peripheral surface of said stator core and an outer peripheral surface of said rotor (Figs. 1 and 2). Asao fails to show the fan is made of iron.

However, Hayashi et al. disclose the dynamoelectric machine wherein the fan is made of iron (Col. 3, lines 45-48) for the purpose of reducing noise of the alternator (Col. 1, lines 45-50).

Since Vasilescu et al. and Hayashi et al. are in the same field of endeavor, the purpose disclosed by Hayashi et al. would have been recognized in the pertinent art of Vasilescu et al.

Application/Control Number: 10/567,780

Art Unit: 2834

It would have been obvious at the time the invention was made to a person having an ordinary skill in the art to modify Vasilescu et al. by using iron to form the fan as taught by Hayashi et al. for the purpose of reducing noise of the alternator.

6. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Vasilescu et al. in view of Nagate et al.

Regarding claim 13, Vasilescu et al. shows all limitations of the claimed invention except showing the dynamoelectric machine wherein fan is constituted by a nonmagnetic material.

However, Nagate et al. disclose the dynamoelectric machine wherein fan (39 in Fig. 36) is constituted by a nonmagnetic material (Col. 23, line 15) for the purpose of preventing effect of flux leakage from the rotor (Col. 23, lines 16-17).

Since Vasilescu et al. and Nagate et al. are in the same field of endeavor, the purpose disclosed by Nagate et al. would have been recognized in the pertinent art of Vasilescu et al.

It would have been obvious at the time the invention was made to a person having an ordinary skill in the art to modify Asao by using non-magnetic material to form the fan as taught by Nagate et al. for the purpose of preventing effect of flux leakage from the rotor.

#### Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hanh N Nguyen whose telephone number is (571) 272-2031. The examiner can normally be reached on Monday through Friday.

Application/Control Number: 10/567,780

Art Unit: 2834

Page 8

If attempts to reach the examiner by telephone are unsuccessful, the examiner 's supervisor, Darren Schuberg, can be reached on (571) 272-2044. The fax phone numbers for the organization where this application or proceeding is assigned are (571) 273-8300 for regular communications and (571) 273-8300 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1782.

June 1, 2007